Grand Challenge Project

(http://www-rnc.lbl.gov/GC/)

D. Olson RHIC Off-line Computing Review 30 July 1997

30 July 1997

Grand Challenge, D. Olson

Outline

- People
- Goals
- The Problem
- Approach
- Near Term Issues
- Schedule

30 July 1997

Grand Challenge, D. Olson

People (currently active)

LBNL

NP D. Olson (PI), G. Odyniec, F. Wang, N. Xu, R. Porter

HEP J. Siegrist (PI), I. Hinchliffe, R. Jacobsen

Computing C. Tull, D. Quarrie, W. Johnston,

A. Shoshani, D. Rotem, H. Nordberg

BNL

RCF B. Gibbard, D. Stampf, J. Flanigan

Physics D. Morrison
ANL E. May, D. Malon
FSU G. Riccardi
Rice P. Yepes
U.Tenn. S. Sorensen

Expts: STAR, PHENIX, CLAS, BABAR, ATLAS

23 July 1997 HENP GC, D. Olson 3



30 July 1997

Goals


- Demonstrate a solution for data access and analysis for RHIC.
- Three (2.5) year project (FY97, FY98, FY99).

30 July 1997

Grand Challenge, D. Olson

5

RHIC Computing Model



30 July 1997

Grand Challenge, D. Olson

Requirements

- Address the tape-disk-cpu data access bottlenecks.
- Achieve high-performance while maintaining human-efficient access to all data.
- Data access solution must not preclude requirements spanning RHIC computing:
 - event reconstruction (DST production)
 - selections (micro-DST generation)
 - analysis (single process development and PIAF-like parallel processing)
 - simulations (mixing data sources for comparison with theory)
 - robustness (operational efficiency > ??%)
 - tunable system (load balancing for op. efficiency)


30 July 1997

Grand Challenge, D. Olson

7

The Bottlenecks

(my est. for RHIC capacity, year 3, for scale)



Data organization & scheduling

- Define how to order files on tape.
- Define how to map substructures of events onto files (cluster by type).
- Define how order event (substructures) by feature, i.e., trigger streams, filtering, query patterns (cluster by value).
- Coordinate analysis tasks wanting data with the data available on disk.

30 July 1997

Grand Challenge, D. Olson

9

Monitoring

- Items to monitor
 - File placement on tape.
 - Fraction of file accessed from disk.
 - Fraction of page used by program.
 - Bulk bandwidth used.
- Analysis of monitoring data is used to diagnose inefficiencies.
- System should be tunable based on this analysis.

30 July 1997

Grand Challenge, D. Olson

The Approach

- Adopt an architecture which can address the year 2+ requirements.
- Develop early implementation which can meet year 1- requirements.
- Prototype at NERSC.
- Demonstrate at RCF some possible scenarios with simulated data.


30 July 1997

Grand Challenge, D. Olson

11

The Architecture


Data Intensive Application Architecture




30 July 1997

Grand Challenge, D. Olson

The Architecture (Software)



The Architecture (Hardware)



30 July 1997

Grand Challenge, D. Olson

What's new in the data access approach

- ODMG model API for application code
 - like BaBar, RD45: a common HEP approach
 - great benefit to iterative development by maintaining object relationships across full dataset (majority of physicist time)
- Query, pre-fetch and query optimization
 - An object location index separate from the tape store enabling:
 - query-by-feature before touching tapes
 - ordering / scheduling access to files on tape
 - ordering / scheduling access to disk-resident objects
- Monitoring access efficiency
 - enables performance tuning via re-structuring and scheduling
- Data organization tools
 - enables re-structuring data for optimum access, where necessary

30 July 1997

Grand Challenge, D. Olson

15

Additional features of architecture

- Parallel event processing
 - PIAF-like event analysis
- Analysis framework (STAF) permitting mixed FORTRAN, C, C++ application code
 - with implications on the application level object model

30 July 1997

Grand Challenge, D. Olson

Issues: Software

- Objectivity/DB role, scope, feasibility
 - evaluation
 - estimate time scale of feasible implementation
 - expect that distributed Objectivity federated DB unlikely in the near term
 - light-weight ODMG object presenter from ANL as alternative or additive until Objectivity is feasible?

23 July 1997 HENP GC, D. Olson 17

Issues: Hardware Testbed at NERSC

- In process of defining requirements.
 - Should support s/w development.
 - Should support enough performance tests to answer implementation questions like:
 - Objectivity?
 - Cost of re-organizing data?
 - HPSS disk vs. external disk cache?
 - Analysis tasks as direct HPSS clients?
 - Effect on CAS architecture?

30 July 1997

Schedule

3/97 - 9/97 Define architecture & Requirements

6/97 - 12/97 Technical choices & tests

6/98 First complete implementation of architecture

6/98 - 9/98 Test first implementation

9/98 - 12/98 Revise implementation

1/99 - 3/99 Test second implementation

4/99 - 6/99 Revisions & fixes

7/99 - 9/99 Perform final performance benchmarks

30 July 1997

Grand Challenge, D. Olson

10

Near-term plans

- Develop dataset of simulated events
- Collect data organization ideas from experimental groups (define query/access patterns)
- Investigate HPSS <--> disk issues.
- Investigate ODMG & Objectivity issues.
- Interface STAF to Objectivity.
- Implement prototype of architecture.

30 July 1997

Grand Challenge, D. Olson

Initial Software Prototype

